

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	960	399/328,330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:33
L2	2444	399/159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:33
L3	1103472	gear\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:33
L4	290	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:33
L5	289	4 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:53
L6	1410273	flange\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:53
L7	240	6 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:53
L8	132	7 not (1 or 5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:02

L9	436	399/167.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:02
L10	417	9 not (1 or 5 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:02
L11	331	10 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:12
L12	86	10 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:12
L13	5	12 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:13
L14	30965	3 with (elastic\$4 or elastomer\$1 or deform\$5 or resilien\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:15
L15	6015	14 with (insert\$3 or coupl\$3 or groove\$1 or recess\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:15
L16	1927	15 same (roll\$3 or cylinder\$1 or cylindrical\$2 or drum\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:16

L17	53	16 and "399"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:16
L18	45	17 not (1 or 5 or 8 or 12 or 13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:18
L19	1882	16 not 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:20
L20	898	16 and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:20
L21	860	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:22
L22	26216	g03g015/20.ipc.	EPO; JPO	OR	ON	2005/11/30 17:23
L23	147687	gear\$3	EPO; JPO	OR	ON	2005/11/30 17:23
L24	522	22 and 23	EPO; JPO	OR	ON	2005/11/30 17:23
L25	534079	elastic\$4 or elastomer\$1 or flexible or deform\$5 or resilien\$2	EPO; JPO	OR	ON	2005/11/30 17:23
L26	50	24 and 25	EPO; JPO	OR	ON	2005/11/30 17:26
L27	9250	23 and 25	EPO; JPO	OR	ON	2005/11/30 17:27
L28	194	27 and g03g015/00.ipc.	EPO; JPO	OR	ON	2005/11/30 17:27
L29	182	28 not 26	EPO; JPO	OR	ON	2005/11/30 17:31
L30	9018	27 not (26 or 29)	EPO; JPO	OR	ON	2005/11/30 17:31
L31	2690	30 and (insert\$3 or groove\$1 or recess\$2 or coupl\$3)	EPO; JPO	OR	ON	2005/11/30 17:32
L32	751	31 and (roll\$3 or cylinder\$1 or cylindrical\$2 or drum\$1)	EPO; JPO	OR	ON	2005/11/30 17:33